Shoes - Construction



>> Use (*)

Thanks to a careful workmanship and a strict selection of materials, this equipment can be used for indoor or outdoor work activities, for many jobs in the industry, logistics, transport, parks maintenance, crafts or building and public works...

>> Technical features

- ✓ Winter safety boots made of P.V.C.
- 200 J shockproof steel toe cap.
- Black polyester fur lining.
- ✓ Steel puncture resistant midsole.
- ✓ PVC and nitrile sole.
- ✓ Black colour.
- ✓ Size : 39 to 47.
- ✓ Packing : Carton of 6 pairs. Bundle of 1 pair.



Learn more : www.singer.fr

>> Advantages

- A boot with a robust and dynamic look.
- Thick P.V.C material, soft, durable and waterproof.
- Full polyester fur lining for comfort and optimum insulation in winter.
- Studded outsole for excellent grip even in difficult ground.
- Warm insulating polyester lining, black color.
- Practical grip handles for easy donning.

>> Conformity

This product has been tested according to the following European Standard:

- EN ISO 20345: 2011. Personal protective equipment Safety footwear
- It complies with the European **Regulation (EU) 2016/425** on Personal Protective Equipment (**PPE**). **(Category II)**

EU type examination certificate (**module B**) issued by **SATRA (Irland)**. Notified body **n°2777**. Download the EU declaration of conformity on: http://docs.singer.fr

Protection	Symbol S5	Basic properties plus (Toe protection against shocks equivalent to a level of energy equal to 200J and the risks of flattening under a maximal weight of 15 kN.) + closed backpart + antistatic properties + energy absorption of the heel + resistance to fuel oil + anti-puncture sole + studded sole.
Slip resistance	Symbol SRC	(= SRA + SRB) Slip resistance on ceramic tile floor with SLS and on steel floor with glycerol

Your distributor SINGER[®] SAFETY





C E